

60+  
Years of Experience

# Product Catalogue

**SECURITY**<sup>®</sup>  
ALUMINUM HELLAS S.A.

innovation beyond profiles

# SECURITY®

## ALUMINUM HELLAS S.A.

innovation beyond profiles

Security Aluminum Hellas, a purely Greek company, was founded in 1963 and is based in the industrial area of Egaleo in Athens, marking a long and successful course in the aluminum and galvanized steel industry.




Its main activity is the production of::





- Metal profiles for drywall system (ceilings and partitions)
- “T” profile system for ceiling tiles
- Aluminum and steel strip false ceilings








Its functions are certified with ISO 9001: 2015 standard, while its products are certified according to DIN 18182 and EN 14195. The modern production lines, the innovations of our products, their high quality and specifications, make Security Aluminum Hellas one of the pioneers, not only in the Greek but in the international market as well..

<b>DRYWALL SYSTEM PROFILES E.N. 14195</b>	<b>3</b>
Partition Systems Duro-Steel™	3
Ceiling System Duro-Steel™	3
<b>SUPPORTING &amp; SPECIAL PROFILES E.N. 14195</b>	<b>4-7</b>
Ceiling System Duro-Steel™	4
Angles & Profiles for Recesses	4
Angles & Profiles for Recesses	6-7
FLEXIBLE	7
UA Profiles 2mm	7
<b>DRYWALL SYSTEM PROFILES per DIN 18182</b>	<b>8</b>
Partition Systems Duro-Steel™	8
Ceiling System Duro-Steel™	8
Ceiling System Duro-Steel™ Perimetric	8
<b>«T» profiles Safe - Lock™</b>	<b>9</b>
“T” Profiles	9





Product	Profile Description	Code	Sale Unit	Packaging		
				m / Parcel	m/Pallet	
<b>DRYWALL SYSTEM PROFILES E.N. 14195</b>						
<b>Partition Systems Duro-Steel™</b>						
	<b>RUNNER UW 50x30/3000 mm</b>	1001	Parcel	36	648	
	<b>RUNNER UW 75x30/3000 mm</b>	1003			432	
	<b>RUNNER UW 50x40/3000 mm</b>	1002			648	
	<b>RUNNER UW 75x40/3000 mm</b>	1004			432	
	<b>RUNNER UW 100x30/3000 mm</b>	1005			432	
	<b>RUNNER UW 100x40/3000 mm</b>	1006			432	
	<b>STUD CW 50x35/3000 mm</b>	1101	Parcel	36	540	
	<b>STUD CW 75x36/3000 mm</b>	1103			432	
	<b>STUD CW 50x50/3000 mm</b>	1102			540	
	<b>STUD CW 75x50/3000 mm</b>	1104			432	
	<b>STUD CW 100x35/3000 mm</b>	1105			432	
	<b>STUD CW 100x50/3000 mm</b>	1106			432	
<b>Ceiling System Duro-Steel™</b>						
	<b>CEILING CHANNEL CD 60X27/3000 mm (Main TEE)</b>	1201	Parcel	36	648	
	<b>CEILING CHANNEL CD 60X27/4000 mm (Main TEE)</b>	1201		48	864	
	<b>CEILING CHANNEL CD 60X27/5000 mm (Main TEE)</b>	1201		60	1080	
	<b>CEILING CHANNEL CD 50X27/3000 mm (Main TEE)</b>	1202	Parcel	24	480	O.D.
	<b>OMEGA FURRING CHANNEL 50x27/3000 mm</b>	1221	Parcel	30	600	
	<b>OMEGA FURRING CHANNEL 42x27/3000 mm</b>	1223	Parcel	30		O.D.

Product	Profile Description	Code	Sale Unit	Packaging		
				m / Parcel	m/Pallet	
<b>SUPPORTING &amp; SPECIAL PROFILES E.N. 14195</b>						
<b>Ceiling System Duro-Steel™</b>						
	<b>PERIMETRIC UD 37x28x18/3000 mm</b>	1301	Parcel	48	1200	
	<b>PERIMETRIC UD 30x28x18/3000 mm</b>	1306	Parcel	48	1200	
	<b>PERIMETRIC UD 27x28x27/3000 mm</b>	1302	Parcel	48	1200	
	<b>PERIMETRIC UD 25x28x25/3000 mm</b>	1303	Parcel	36	900	O.D.
	<b>PERIMETRIC PROFILE WITH RECESS 20 &amp; 15 /3000 mm</b>	1307	Parcel	36	720	






Product	Profile Description	Code	Sale Unit	Packaging	
				m / Parcel	m/Pallet
<b>SUPPORTING &amp; SPECIAL PROFILES E.N. 14195</b>					
<b>Angles &amp; Profiles for Recesses</b>					
	<b>CORNER BEAD 31x31/3000 mm</b>	1320	Parcel	75	4500
	<b>CORNER BEAD 31x31/3000 mm <math>\Phi 5</math> 135°</b>	1323	Parcel	75	4500
	<b>CORNER BEAD 31x31/3000 mm <math>\Phi 5</math> VARIABLE ANGLE</b>	1324	Parcel	75	3000
	<b>CORNER BEAD 23x13/3000 mm</b>	1321	Parcel	75	4500

Product	Profile Description	Code	Sale Unit	Packaging		
				m / Parcel	m/Pallet	
<b>SUPPORTING &amp; SPECIAL PROFILES E.N. 14195</b>						
<b>Angles &amp; Profiles for Recesses</b>						
	<b>ANGLE 35x27/3000 mm</b>	1310	Parcel	75	3000	
	<b>ANGLE 30x30/3000 mm</b>	1312	Parcel	75	3000	O.D.
	<b>JB-25 /3000 mm</b>	1325	Parcel	90	1620	
	<b>OMEGA SHAPE RECESS 25/3000 mm</b>	1327	Parcel	18	720	
	<b>OMEGA SHAPE RECESS 12,5/3000 mm</b>	1326	Parcel	18	864	
	<b>OMEGA SHAPE RECESS 25/3000 mm (1 WING)</b>	1329	Parcel	18	720	
	<b>OMEGA SHAPE RECESS 12,5/3000 mm (1 WING)</b>	1328	Parcel	18	864	

Product	Profile Description	Code	Sale Unit	Packaging	
				m / Parcel	m/Pallet
<b>SUPPORTING PROFILES &amp; ACCESSORIES E.N. 14195</b>					
<b>Angles &amp; Profiles for Recesses</b>					
	<b>RECESS Z 13x14x24/3000 mm</b>	1332	Parcel	36	1728
<b>FLEXIBLE</b>					
	<b>FLEXIBLE RUNNER UW 50X30/3000 mm</b>	1330	pcs	6 pcs / Parcel	108 pcs / Pallet
	<b>FLEXIBLE RUNNER UW 75X30/3000 mm</b>	1333		6 pcs / Parcel	120 pcs / Pallet
	<b>FLEXIBLE PERIMETRICAL UD 30X28X30/3000 mm</b>	1331		6 pcs / Parcel	120 pcs / Pallet
<b>UA Profiles 2mm</b>					
	<b>A Profile 50x40/3000 mm</b>	1410	Parcel	18 m per Parcel	
	<b>UA Profile 75x40/3000 mm</b>	1412		12 m per Parcel	
	<b>UA Profile 100x40/3000 mm</b>	1414		12 m per Parcel	

Product	Profile Description	Code	Sale Unit	Packaging		
				m / Parcel	m/Pallet	
<b>DRYWALL SYSTEM PROFILES per DIN 18182</b>						
<b>Partition Systems Duro-Steel™</b>						
	<b>RUNNER UW 50x40/3000 mm</b>	1380	Parcel	36	648	
	<b>RUNNER UW 75x40/3000 mm</b>	1381			432	
	<b>RUNNER UW 100x40/3000 mm</b>	1382			432	
	<b>RUNNER UW 125x40/3000 mm</b>	1390			216	O.D.
	<b>RUNNER UW 150x40/3000 mm</b>	1391			216	O.D.
	<b>STUD CW 50x50/3000 mm</b>	1383	Parcel	36	540	
	<b>STUD CW 75x50/3000 mm</b>	1384			432	
	<b>STUD CW 100x50/3000 mm</b>	1385			432	
	<b>STUD CW 125x50/3000 mm</b>	1392			216	O.D.
	<b>STUD CW 150x50/3000 mm</b>	1393			216	O.D.
<b>Ceiling System Duro-Steel™</b>						
	<b>CEILING CHANNEL CD 60X27/3000 mm</b>	1386	Parcel	36	648	
	<b>CEILING CHANNEL CD 60X27/4000 mm</b>			48	864	
	<b>CEILING CHANNEL CD 60X27/5000 mm</b>			60	1080	
<b>Ceiling System Duro-Steel™</b>						
	<b>PERIMETRIC UD 27X28X27/3000 mm</b>	1387	Parcel	48	1200	



Product	Profile Description	Code	Sale Unit	Packaging	
				m / Parcel	m/Box
<b>"T" profiles Safe - Lock™</b>					
<b>"T" Profiles</b>					
	<b>24/38/3700 mm</b>	2001	Box	92,5	2497,5
	<b>15/38/3700 mm</b>	2101		111	3330
	<b>24/38/1200 mm</b>	2011		90	2520
	<b>24/30/1200 mm</b>	2021		90	2520
	<b>15/38/1200 mm</b>	2102		108	3240
	<b>24/38/600 mm</b>	2041		45	2520
	<b>24/28/600 mm</b>	2061		45	2520
	<b>15/38/600 mm</b>	2103		54	3240
	<b>ANGLE 19x19/3000 mm</b>	2201	Box	90	4860
	<b>ANGLE 19x24/3000 mm</b>	2203		90	4860
	<b>ANGLE 24x24/3000 mm</b>	2205		90	4860
	<b>ANGLE 19x13x13x24/3000 mm</b>	2211		60	3000



**SECURITY<sup>®</sup>**  
**ALUMINUM HELLAS S.A.**

*innovation beyond profiles*

76 Agias Annis str. Egaleo, 122 41 Athens, Greece **T:** +30 210-3450.221 **F:** +30 210-3422.519 **W:** [www.security-aluminum.gr](http://www.security-aluminum.gr)